POLE SHELVING SYSTEMS & ACCESSORIES

Space Creating Solutions!








#LiveEffortless.





Space saving is out. Space creation is in. With Livsmart Pole Shelving Systems, create the perfect combination of closed and open storage and shelving to suit individual needs with a wide choice of fittings that will make your living room, bedroom and even your retail store look more open and spacious!

With a wide variety of durable and aesthetically designed units, there is no limit to the permutations and combinations in which space can be created!













CONTENTS

- 1. INTRODUCTION 6
- 2. POLE SHELVING SYSTEM COMPONENTS 8
- 3. LIVING ROOM APPLICATION 13
- 4. STUDY / WORK FROM HOME APPLICATION 15
- 5. WALK-IN WARDROBE APPLICATION 17
- 6. BEDROOM APPLICATION 18
- 7. BATHROOM APPLICATION 19
- 8. RETAIL APPLICATION 21
- 9. HI SLIDE WALK-IN SLIDING SYSTEM 22
- 10. WARDROBE ACCESSORIES 26
- 11. FURNITURE LIGHTS LED 24V 32


INTRODUCTION





Design your own unit by imaginatively using Ebco's Pole Shelving Systems! There's no limit to what you can create!

POLE SHELVING SYSTEM - COMPONENTS





Aluminium Section



Height Adjustable Plinth



End Connector Set



Right Angle Connector



Small Shelf Support



Big Shelf Support



Tilting Shelf Bracket



Adjustable Glass Shelf Support





Concealed Slide Adaptors Rectangular Rail Support


POLE SHELVING COMPONENTS

Aluminium Section

CODE: PPDS - ALS, FINISH: ANODISED BROWN / CHAMPAGNE / ANODISED SILVER, LENGTH: 3 METER, LOAD CAPACITY: 1000KGS COMPRESSION VERTICALLY/ **FEET SECTION**









Height Adjustable Plinth

CODE: PPDS - HAP, FINISH: BROWN / SILVER, LOAD CAPACITY: 800 KGS PER PLINTH








End Connector Set

CODE: PPDS - ECS, FINISH: BROWN / SILVER








POLE SHELVING COMPONENTS

Right Angle Connector

CODE: PPDS-RAC, FINISH: BROWN / SILVER




Small Shelf Support

CODE: PPDS - SSS, FINISH: BROWN / SILVER, LOAD CAPACITY: 10KGS PER SET



Big Shelf Support

CODE: PPDS - BSS, FINISH: BROWN / SILVER, LOAD CAPACITY: 20KGS PER SET




POLE SHELVING COMPONENTS

Tilting Shelf Bracket

CODE: PPDS - TSB, FINISH: BROWN / SILVER, LOAD CAPACITY: 10KGS PER SET









Adjustable Glass Shelf Support

CODE: PPDS - AGS, FINISH: BROWN / SILVER, LOAD CAPACITY: 10KGS PER SET










Concealed Slide Adaptor

CODE: PPDS - CSA, FINISH: BROWN / SILVER, LOAD CAPACITY: 25KGS PER SET








Rectangular Rail Support

CODE: PPDS - RRS, FINISH: BROWN / SILVER, LOAD CAPACITY: 20KGS PER SET










LIVING ROOM APPLICATION





Aluminium Section



Height Adjustable Plinth



End Connector Set





Right Angle Connector



Big Shelf Support







LIVING ROOM APPLICATION





Aluminium Section



Height Adjustable Plinth



End Connector Set





Right Angle Connector



Big Shelf Support







STUDY / WORK FROM HOME APPLICATION









Height Adjustable Plinth



End Connector Set



Right Angle Connector





Big Shelf Support




Small Shelf Support







STUDY / WORK FROM HOME APPLICATION





Aluminium Section



Height Adjustable Plinth



End Connector Set




Right Angle Connector




Big Shelf Support



Adjustable Glass Shelf Support





WALK-IN WARDROBE APPLICATION





Aluminium Section Height Adjustable End Connector Set Right Angle



Plinth





Connector



Big Shelf Support




Adjustable Glass Shelf Support




Concealed Slide Adaptors



Rectangular Rail Support





BEDROOM APPLICATION





Aluminium Section



Height Adjustable Plinth



End Connector Set



Right Angle Connector





11 Set Big Shelf Support



Tilting Shelf Bracket




Adjustable Glass Concealed Slide Shelf Support




Adaptors




Rectangular Rail Support





BATHROOM APPLICATION





Aluminium Section



Height Adjustable Plinth



End Connector Set



Right Angle Connector




Big Shelf Support



Adjustable Glass Shelf Support







BATHROOM APPLICATION





Aluminium Section



Height Adjustable Plinth





End Connector Set



Right Angle Connector



Big Shelf Support






Shelf Support



Rectangular Rail Bracket







RETAIL APPLICATION









Height Adjustable Plinth



End Connector Set




Right Angle Connector




Big Shelf Support



Tilting Shelf Bracket







Get a walk-in wardrobe with Ebco's Pole Shelving System! Light yet strong, these systems have a unique design and functionality, allowing you to create additional space and storage, with easy and quick installation. With a choice of open and closed fittings and units, you can custom fit your bedroom with the perfect wardrobe!

FEATURES:

- Floor to ceiling sliding system which are light (to use build 9mm panels), effortless silent sliding has soft close, soft open feature.
- Modular and highly flexible in terms of design, to use multiple panels of wood or glass to suit the décor.
- Superior design with 2 way soft close ensures high strength & smooth functioning.
- Quick & hassle free installation.
- Available in 6 different colour profiles Anodized Silver (AS), Black (BL), Special Finish (SF), Chrome Plated (CP), Brushed Al. (BA), Champagne (CH)



Walk-in Sliding Lock Code - P-WSL 1- NP




Mounting Screws for Walk-in Sliding System Code - HSWSS-ST640-NF

HI SLIDE WALK-IN SLIDING SYSTEM


| PRODUCT | ITEM | CODE | FINISH | PCS/ SET |
|---|---|---------------|-------------------|----------|
| - AA | Bottom Roller Fitting (for single door) | HSWSS-BR1 | NP | Set of 2 |
| 7 410 | Bottom Roller Fitting-Heavy Duty (for single door) | HSWSS-BR2-HD | NP | Set of 2 |
| | 2 Way Soft Close Damper-15 Kgs (single door kit with actuator) | HSWSS-SCK-15 | GR | Set of 2 |
| | 2 Way Soft Close Damper-25 Kgs (single door kit with actuator) | HSWSS-SCK-25 | GR | Set of 2 |
| | 2 Way Soft Close Damper-40 Kgs (single door kit with actuator) | HSWSS-SCK-40 | GR | Set of 2 |
| 10.40 40.20 20 30.0 30.0 30.0 30.0 30.0 30.0 30 | Top GuidingTrack | HSWSS-TGT-3M | AS/BL/SF/CP/BA/CH | 3m |
| 40.50 31.10 30.41 | Bottom Roller Track | HSWSS-BRT-3M | AS/BL/SF/CP/BA/CH | 3m |
| 15.00 | Shutter Profile-Top/Mid | HSWSS-SPTM-3M | AS/BL/SF/CP/BA/CH | 3m |
| 15.00 10.00 | Shutter Profile-Bottom | HSWSS-BP | AS/BL/SF/CP/BA/CH | 3m |
| 72000 | | HSWSS-SPV-3M | AS/BL/SF/CP/BA/CH | 3m |
| 0831 0821 341 087 | Shutter Profile-Vertical | HSWSS-SPV-36 | AS/BL/SF/CP/BA | 3.66m |
| \$ 18.00 | Shutter Profile-Vertical Handle | HSWSS-SPVH-3M | AS/BL/SF/CP/BA/CH | 3m |
| 20.35 | Shutter Profile-vertical Handle | HSWSS-SPVH-36 | AS/BL/SF/CP/BA | 3.66m |
| 33 | Sleeve for Hi Slide Walk-in Wardrobe 4 mm Glass (optional) | HSWSS-SL4 | CL | 3m |


HI SLIDE WALK-IN SLIDING SYSTEM

Wooden Door Application




HSWSS Shutter Size Calculation







HI SLIDE WALK-IN SLIDING SYSTEM Glass Door Application



HSWSS Shutter Size Calculation









Wardrobe Pullout - Trouser / Saree (Soft Close)









Wardrobe Pullout Drawer Organiser (Soft Close)








Wardrobe Pullout Basket (Soft Close)








Concealed Slide Adaptors



| SR.NO | ITEM | CODE | SIZE (MM) | FINISH |
|-------|---|---------------|-----------------|--------------|
| | | WPTS-45-SC-BR | 414 X 470 X 140 | |
| 4 | Wardrobe Pullout - Trouser / Saree (Soft Close) | WPTS-60-SC-BR | 564 X 470 X 56 | _ |
| | | WPTS-90-SC-BR | 864 X 470 X 56 | Brown |
| | Extra Hanger for WPTS | WPTS-EH4 | L=470 | |
| | | WPDO-45-SC-BR | 414 X 470 X 140 | |
| 2 | Wardrobe Pullout Drawer Organiser (Soft Close) | WPDO-60-SC-BR | 564 X 470 X 140 | Brown |
| | | WPDO-90-SC-BR | 864 X 470 X 140 | |
| | | WPB-45-SC-BR | 414 X 470 X 140 | |
| 3 | Wardrobe Pullout Basket (Soft Close) | WPB-60-SC-BR | 564 X 470 X 140 | Brown |
| | | WPB-90-SC-BR | 864 X 470 X 140 | |
| 4 | Concealed Slide Adaptors | PPDS-CSA | 400 / 450 | Brown/Silver |


Wardrobe Pullout Basket - Wicker (Soft Close)





Wardrobe Pullout Shoe Rack - Soft Close





Concealed Slide Adaptors




| SR.NO | ITEM | CODE | SIZE (MM) | FINISH |
|------------------------------|---|----------------|-----------------|------------------|
| | | | 414 X 470 X 140 | |
| 1 | Wardrobe Pullout Basket - Wicker (Soft Close) | WPBW-60 SC BR | 564 X 470 X 140 | Brown |
| | | WPBW-90 SC BR | 864 X 470 X 140 | |
| 2 | Westerles Bullout Chas Dady | WPSR-60-SC-BR | 564 X 470 X 56 | D |
| 2 Wardrobe Pullout Shoe Rack | WPSR-90-SC-BR | 864 X 470 X 56 | Brown | |
| 3 | Concealed Slide Adaptors | PPDS-CSA | 400 / 450 | Brown/ Silver |

Wardrobe Drawer Organiser 2



FEATURES:


- Rearrange your valuables as desired with these multipurpose divider orgnisers.
- Can be easily added to a finished wardrobe and moved around to suit your needs.
- · Ideal for storing multiple items such as jewellery, watches, bangles or other accessories.
- Dimension: Length(425mm), Width(165mm), Height (50mm)



| SR.NO | ITEM | CODE | SIZE (MM) | FINISH |
|-------|---|----------|----------------|--------|
| | Wardrobe Drawer Organiser 2 - Watch / Bangles 1 | WDO2-WB1 | | |
| | Wardrobe Drawer Organiser 2 - Watch / Bangles 2 | WDO2-WB2 | | |
| 1 | Wardrobe Drawer Organiser 2 - Multipurpose-4-1 | WDO2-M41 | 425 X 165 X 50 | Brown |
| | Wardrobe Drawer Organiser 2 - Multipurpose-4-2 | WDO2-M42 | | |
| | Wardrobe Drawer Organiser 2 - Ornaments & Rings | WDO2-OR | | |

Wardrobe Rail Fittings - Rectangular Rail & Bracket






| ITEM | CODE | SIZE (MM) | FINISH |
|---|--------------|---------------|-------------------------------|
| | WRF-RR-2-AN | 10 X 30 | |
| | WRF-RR-3-AN | 10 X 30 | Anodised Brown |
| Wardrobe Rail Fitting - Rectangular Rail | WRF-RR-3M-AN | 10 X 30 | |
| | WRF-RR-2-BA | 10 X 30 | |
| | WRF-RR-3M-BA | 10 X 30 | Brushed Aluminium |
| | WRF-RR-3-BA | 10 X 30 | |
| Wardrobe Rail Fitting Rectangular Bracket | WRF - BR1 | 42 X 25 X Ø 4 | Brown / Anodized Champagne |

L Connector for Rectangular Al. Rail






| ITEM | CODE | SIZE (MM) | FINISH |
|--------------------------------------|-----------|-----------|--------|
| L Connector for Rectangular Al. Rail | WRF - RRC | - | Brown |


Wardrobe Rail Fittings - Oval






| ITEM | CODE | SIZE (MM) | FINISH |
|-------------------------------|------------------|-----------|---------------------------------------|
| | WRF RA 1 AC / CP | - | |
| Wardrobe Rail Fittings - Oval | WRF RA 2 AC / CP | - | Anodised Champagne / Chrome Plated |
| | WRF RA 3 AC / CP | - | |
| Bracket | WRF-B1 | - | NEST ALBERTA |
| Bracket - MS | WRF-B2 | - | Nickel Plated |
| Rail Centre Support | WRF-RS1 | - | Nickel Plated |
| Coat Hook | WRF - CH | - | Black/Grey |

Wardrobe Rail R.A Connector






| ITEM | CODE | SIZE (MM) | FINISH |
|------------------------------|---------|-----------|--------|
| Wardrobe Rail R.A. Connector | WRF-RAC | - | Brown |

Mirror Pullout (Frameless)






| ITEM | CODE | SIZE (MM) | FINISH |
|----------------------------|-------------|------------|-----------------|
| | WA-POM60 N | 600 X 350 | |
| Mirror Pullout (Frameless) | WA-POM90 N | 900 X 350 | Anodised Silver |
| | WA-POM120 N | 1200 X 350 | |

Spot Bright Regular (Recessed Mount)








| ITEM | CODE | SIZE (mm) | FINISH |
|---------------------|-----------|---------------------|----------------------------|
| Spot Bright Regular | S-BRRR-NW | 2.4W, Ø69x13.3, 12N | Anodised Silver / Black |

Spot Bright Diffused (Recessed Mount)








| ITEM | CODE | SIZE (mm) | FINISH |
|----------------------|-----------|---------------------|----------------------------|
| Spot Bright Diffused | S-BRDR-NW | 2.4W, Ø69×13.3, 12N | Anodised Silver / Black |

Spot Diffused (Surface Mount)








| ITEM | CODE | SIZE (mm) | FINISH |
|---------------|----------|--------------------|--------------------|
| Spot Diffused | S-SDS-NW | 2.4W, Ø60x9.5, 12N | Anodised Silver |

Spot Diffused-2 (Magnetic-Surface Mount)









| ITEM | CODE | SIZE (mm) | FINISH |
|-----------------|------------|----------------------|-----------------------------|
| Spot Diffused-2 | S-SD2SM-NW | 2.16W, Ø59x13.5, 18N | Anodised Si l ver |

Linear Slim 5 - IR Sensor (Surface Mount)









| ITEM | CODE | SIZE (mm) | FINISH |
|------------------------------|-----------------|------------------------|--------------------|
| Linear Slim 5 - IR Sensor | L-LS5IRS-412-NW | 14.4W/m, 412mm, 120N/m | |
| (Surface Mount) | L-LS5IRS-562-NW | 14.4W/m, 562mm, 120N/m | Anodised Silver |
| | L-LS5IRS-862-NW | 14.4W/m, 862mm, 120N/m | |

Linear Slim 6 (Surface Mount)








| ITEM | CODE | SIZE (mm) | FINISH |
|----------------------------------|----------------|-------------------------|--------------------|
| Linear Slim 6 (Surface Mount) | L-LS6S-412-NW | 14.4W/m, 412mm, 120N/m | |
| | L-LS6S-562-NW | 14.4W/m, 562mm, 120N/m | Anodised Silver |
| | L-LS6S-762-NW | 14.4W/m, 762mm, 120N/m | |
| | L-LS6S-862-NW | 14.4W/m, 862mm, 120N/m | |
| | L-LS6S-962-NW | 14.4W/m, 962mm, 120N/m | |
| | L-LS6S-1162-NW | 14.4W/m, 1162mm, 120N/m | |

Linear Recess 9mm










| ITEM | CODE | SIZE (mm) | FINISH |
|-------------------|-----------|-------------------------|--------------------|
| Linear Recess 9mm | L-LR9-412 | 11.52W/m, 412mm, 144N/m | Anodised Silver |
| | L-LR9-562 | 11.52W/m, 562mm, 144N/m | |
| | L-LR9-862 | 11.52W/m, 862mm, 144N/m | |

Linear Recessed Slim 8 mm with PIR sensor








| ITEM | CODE | SIZE (mm) | FINISH |
|---|------------|------------------------|-----------------------------|
| Linear Recessed Slim 8mm with PIR sensor | L-LRS8-412 | 14.4W/m, 412mm, 120N/m | Anodised Si l ver |
| | L-LRS8-562 | 14.4W/m, 562mm, 120N/m | |
| | L-LRS8-862 | 14.4W/m, 862mm, 120N/m | |

Linear Wardrobe Oval with Door Trigger 2 part sensor








| ITEM | CODE | SIZE (mm) | FINISH |
|--|-----------|------------------------|--------------------|
| Linear Wardrobe | L-LWO-412 | 14.4W/m, 409mm, 120N/m | |
| Oval With Door Trigger 2 part sensor | L-LWO-562 | 14.4W/m, 559mm, 120N/m | Anodised Silver |
| | L-LWO-862 | 14.4W/m, 859mm, 120N/m | |

Linear 2 way Glass 8 mm with Door Trigger 2 part sensor








| ITEM | CODE | SIZE (mm) | FINISH |
|---|------------|------------------------|--------------------|
| Linear 2 Way Glass 8mm with Door Trigger 2 Part Sensor | L-L2G8-412 | 14.4W/m, 412mm, 120N/m | |
| | L-L2G8-562 | 14.4W/m, 562mm, 120N/m | Anodised Silver |
| | L-L2G8-862 | 14.4W/m, 862mm, 120N/m | |

Linear Shelf Edge (Edge Mount)







| ITEM | CODE | SIZE (mm) | FINISH |
|--------------------------------------|-------------|-------------------------|--------------------|
| Linear Shelf Edge (Edge Mount) | L-LSE18-412 | 11.52W/m, 412mm, 144N/m | |
| | L-LSE18-562 | 11.52W/m, 562mm, 144N/m | Anodised Silver |
| | L-LSE18-862 | 11.52W/m, 862mm, 144N/m | |

Linear 2 Way 18mm - H with Hand Shake Sensor






| | 32.50 | |
|-------|-------|------|
| 18.50 | | 2.30 |

| ITEM | CODE | SIZE (mm) | FINISH |
|-----------------------------|-------------|-------------------------|-----------------------------|
| Linear 2 Way | L-L218H-412 | 7.2WX2/m, 412mm, 120N/m | |
| 18mm - H With Hand Shake | L-L218H-562 | 7.2WX2/m, 562mm, 120N/m | Anodised Si l ver |
| Sensor | L-L218H-862 | 7.2WX2/m, 862mm, 120N/m | |

Linear 2 Way Angular 18mm - with Door Trigger 2 Part Sensor







| ITEM | CODE | SIZE (mm) | FINISH |
|---|-------------|-------------------------|-----------------------------|
| Linear 2 Way Angular 18mm - With Door Trigger 2 Part Sensor | L-L218A-412 | 7.2WX2/m, 412mm, 120N/m | |
| | L-L218A-562 | 7.2WX2/m, 562mm, 120N/m | Anodised Si l ver |
| | L-L218A-862 | 7.2WX2/m, 862mm, 120N/m | |

Door Trigger Sensor Door Trigger (Surface or Recessed) Sensor (Surface)





CODE: DTS2-1

CODE: DTS3-1

Touch Dimmer Sensor



CODE: TDS-1

3 / 6 / 10 Way Distributor



CODE: L-D3/L-D6/L-D10

Power Supply Unit

Light Series 2 (24V)



CODE: L-EC2

Extension Cord for Cable Cover Profile



CODE: CCP1



CODE: PSU-2408/

PSU-2416 / PSU-2425 PSU-2460 / PSU-24100